

I claim:

1. A gunstock comprising
an ammunition storage magazine releasably retaining at least one round of ammunition,
said ammunition having a recessed nose and an annular metal base;
5 an uncovered magazine port allowing access to said magazine for insertion and removal
of said ammunition from said magazine, said magazine port having a rearward edge with a non-
beveled and non-radiused interior cornered edge;
a biasing member disposed within said magazine; and
a projection member, whereby said biasing member forces said recessed nose of said
10 ammunition against said projection member to temporarily retain said ammunition within said
gunstock;
wherein said interior cornered edge extends at least halfway on said annular metal base of
said ammunition abutted against said projection member.
- 15 2. The gunstock of claim 1, wherein said interior cornered edge defines a junction between
said magazine port and said magazine.
3. The gunstock of claim 1, wherein said cornered edge is a right angle.
- 20 4. The gunstock of claim 1, further comprising a pistol grip, said pistol grip providing
secure grasping means for said gunstock while said ammunition is inserted and removed.

5. The gunstock of claim 1, comprising plural ammunition storage magazines.

6. A gunstock comprising

an ammunition storage magazine releasably retaining at least one round of ammunition,

5 said ammunition having a recessed nose and an annular metal base with a midpoint;

an uncovered magazine port allowing access to said magazine for insertion and removal of said ammunition from said magazine, said magazine port having a rearward edge with a non-beveled and non-radiused interior cornered edge;

a biasing member disposed within said magazine; and

10 a projection member, whereby said biasing member forces said recessed nose of said ammunition against said projection member to temporarily retain said ammunition within said gunstock;

wherein the distance between said interior cornered edge and said projection member is equal to or less than the distance between the midpoint of said annular metal base and said
15 recessed nose of said ammunition abutted against said projection member.

7. The gunstock of claim 6, wherein said interior cornered edge defines a junction between said magazine port and said magazine.

20 8. The gunstock of claim 6, wherein said cornered edge is a right angle.

9. The gunstock of claim 6, further comprising a pistol grip, said pistol grip providing secure grasping means for said gunstock while said ammunition is inserted and removed.

10. The gunstock of claim 6, comprising plural ammunition storage magazines.

11. A gunstock comprising

an ammunition storage magazine releasably retaining at least one round of ammunition, said ammunition having a recessed nose and an annular metal base with a midpoint;

an uncovered magazine port allowing access to said magazine for insertion and removal of said ammunition from said magazine, said magazine port having a rearward edge with a non-beveled and non-radiused interior cornered edge;

a biasing member disposed within said magazine;

a projection member, whereby said biasing member forces said recessed nose of said ammunition against said projection member to temporarily retain said ammunition within said gunstock;

and a pistol grip, said pistol grip providing secure grasping means for said gunstock while said ammunition is inserted and removed.

12. The gunstock of claim 11, wherein said interior cornered edge defines a junction between said magazine port and said magazine.

13. The gunstock of claim 11, wherein said cornered edge is a right angle.

14. The gunstock of claim 11, wherein said interior cornered edge extends at least halfway on said annular metal base of said ammunition abutted against said projection member.

5 15. The gunstock of claim 11, wherein the distance between said interior cornered edge and said projection member is equal to or less than the distance between the midpoint of said annular metal base and said recessed nose of said ammunition abutted against said projection member.

16. The gunstock of claim 11, comprising plural ammunition storage magazines.

10